

# **SAFETY DATA SHEET**

### 1. Identification

Product identifier NOVAMET 872

Other means of identification

**Article-No.** 40870230

Recommended use Industrial use. Water-miscible metal working fluid.

Recommended restrictions None known.

Manufacturer/Supplier

Oemeta, Inc.

2339 South Decker Lake Blvd West Valley City, UT 84119 Phone: (+1) 801 953-0381 Fax: (+1) 801 953-0446

Further information obtainable from

Oemeta Service

Phone: (+49) 4122-924-132 Fax: (+49) 4122-924-157

**Emergency Telephone** 

Number

Toll Free Access within USA, Canada, Mexico: 1.866.519.4752 (24h)

Outside of the US please call: (+1) 760 476 3962 (24h)

Please provide the following code: 333910

### 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes skin irritation. Causes serious eye irritation.

Precautionary statement

**Prevention** Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Material name: NOVAMET 872

SDS US



Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not classified as hazardous according to GHS when diluted to 20% or less.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Distillates, petroleum, hydrotreated light naphthenic		64742-53-6	40 - < 50
Ethanol, 2-(2-butoxyethoxy)-		112-34-5	1 - < 5
Boric acid		10043-35-3	1 - < 3
Ethanol, 2-amino-		141-43-5	1 - < 3
3-lodo-2-propynyl butylcarbamate		55406-53-6	0.1 - < 1
Other components below reportable I	evels		40 - < 50

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

**General information** 

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

**Hazardous combustion** products

Special protective equipment and precautions for firefighters Combustion products may include the following: carbon oxides (CO, CO2); nitrogen oxides (NO, NO2); sulfur oxides (SO2, SO3).

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: NOVAMET 872 SDS US



Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

**Environmental precautions** 

7. Handling and storage Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate

ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Ai Components	Type	Value	Form
Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
Ethanol, 2-amino- (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Type	Value	Form
Boric acid (CAS 10043-35-3)	STEL	6 mg/m3	Inhalable fraction.
•	TWA	2 mg/m3	Inhalable fraction.
Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Ethanol, 2-(2-butoxyethoxy)- (CAS 112-34-5)	TWA	10 ppm	Inhalable fraction and vapor.
Ethanol, 2-amino- (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Type	Value	Form
Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Ethanol, 2-amino- (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	

Material name: NOVAMET 872 SDS US



Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier. Recommendation: 706 Lapren (KCL, Germany) with a layer thickness of at least 0.6 mm. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has

therefore to be checked prior to the application.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Physical state Liquid.
Color Amber.
Odor Mild.

Odor threshold Not available.
pH 9.8 DIN 51369
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility (water) Completely miscible.

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Material name: NOVAMET 872 SDS US



Not available. **Viscosity** 

Other information

**Density** 964.00 kg/m3 DIN 51757

Not explosive. **Explosive properties** 

40 mm2/s DIN 53018 Kinematic viscosity

Oxidizing properties Not oxidizing.

VOC (concentrate) 30 g/I ASTM E 1868-10

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Conditions to avoid High temperatures. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Causes skin irritation. Skin contact

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. physical, chemical and

toxicological characteristics

### Information on toxicological effects

Components **Species Test Results** 

3-lodo-2-propynyl butylcarbamate (CAS 55406-53-6)

**Acute Dermal** Solid

LD50 Rabbit > 2000 mg/kg

Oral Solid

LD50 Rat 1470 mg/kg

Boric acid (CAS 10043-35-3)

Acute Oral Solid

LD50 Rat > 2600 mg/kg

Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)

**Acute Dermal** Liquid

LD50 Rabbit > 5000 mg/kg

Material name: NOVAMET 872 SDS US



Components	Species	Test Results
Inhalation <i>Mist</i>		
LC50	Rat	> 5.53 mg/l, 4 hours Saturated Vapor Concentration
Oral		
Liquid		
LD50	Rat	> 5000 mg/kg
Ethanol, 2-(2-butoxyethox	y)- (CAS 112-34-5)	
<u>Acute</u>		
Dermal		
Liquid		
LD50	Rabbit	2764 mg/kg
Oral		
Liquid		
LD50	Mouse	2410 mg/kg
Ethanol, 2-amino- (CAS 14	41-43-5)	
<u>Acute</u>		
Dermal		
Liquid	D.11.7	0504
LD50	Rabbit	2504 mg/kg
Inhalation		
Mist	Det	4407
LC50	Rat	1487 mg/m³, 4 hours
Oral		
Liquid	Dot	1E1E malka
LD50	Rat	1515 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** Not classified. Contains a potential skin sensitizer: 3-iodo-2-propynyl butylcarbamate. For further

information, please refer to section 15.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not classified. Animal ingestion studies in several species, at high doses, indicate that boric acid

can cause reproductive and developmental effects. This product is not considered to pose a reproduction/developmental risk to humans. For further information, please refer to section 15.

Specific target organ toxicity - Not classified.

single exposure

Material name: NOVAMET 872 SDS US



Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** Not available.

#### 13. Disposal considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Material name: NOVAMET 872 SDS US



#### SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt. 55406-53-6 0.1 - < 1 3-lodo-2-propynyl butylcarbamate

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Not regulated. **Food and Drug** 

Administration (FDA)

# **US** state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Boric acid (CAS 10043-35-3)

Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)

**US. Massachusetts RTK - Substance List** 

Distillates, petroleum, hydrotreated light naphthenic (CAS 64742-53-6)

Ethanol, 2-amino- (CAS 141-43-5)

US. New Jersey Worker and Community Right-to-Know Act

3-lodo-2-propynyl butylcarbamate (CAS 55406-53-6)

Ethanol, 2-amino- (CAS 141-43-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol, 2-amino- (CAS 141-43-5)

**US. Rhode Island RTK** 

3-lodo-2-propynyl butylcarbamate (CAS 55406-53-6)

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**Further information** Weight of evidence: In the European Union, boric acid containing products are not classified as

toxic for reproduction if the content of boric acid is below 5.5% (Regulation (CE) 1272/2008 and

adaptations to technical progress).

3-Iodo-2-propynyl butylcarbamate (CAS 55406-53-6): According to the European Union, mixtures have to be classified as skin sensitizing when the content is 1.0% or higher. (Regulation (CE)

1272/2008 and adaptations to technical progress)

# 16. Other information, including date of preparation or last revision

12-18-2014 Issue date **Revision date** 06-08-2016

Version # 3.0 **HMIS®** ratings Health: 1

Flammability: 1 Physical hazard: 0

**NFPA** ratings Health: 1

Flammability: 1 Instability: 0

Material name: NOVAMET 872 SDS US



#### NFPA ratings



TR08062016

Ratings of aqueous dilution

HMIS rating when diluted to 20% or less: Health: 0, Flammability: 0, Physical Hazard: 0. NFPA rating when diluted to 20% or less: Health: 0, Flammability: 0, Instability: 0.

**Disclaimer** 

The information in the sheet was written based on the best knowledge and experience currently available. The editor cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Approved.

Material name: NOVAMET 872 SDS US